

SECTION 17

EXTERIOR MOLDINGS

INDEX

Subject	Page	Subject	Page
Description	17-1	"B-C" Body.	17-73
General Precautions	17-1	"E" Body.	17-84
Sealing Operation	17-1	Buick Styles	
Tools and Care	17-3	"A" Body.	17-87
Chevrolet Styles		"B-C" Body.	17-97
"A" Body.	17-6	"E" Body.	17-106
"B" Body.	17-17	Cadillac Styles	
"F" Body.	17-28	"C" Body.	17-109
"X" Body.	17-31	"D" Body.	17-117
"Z" Body.	17-35	"E" Body.	17-120
Pontiac Styles		Acadian	
"A" Body.	17-39	"X" Body.	17-123
"B" Body.	17-48	Beaumont (Canadian)	
"F" Body.	17-59	"A" Body.	17-126
Oldsmobile Styles		Pontiac (Canadian)	
"A" Body.	17-62	"B" Body.	17-132

DESCRIPTION

The exterior moldings are secured to the body by any one or a combination of the following attachments (Figs. 17-1 and 17-2).

- a. Attaching screws
- b. Bolt and clip assemblies with attaching nuts.
- c. Integral studs with attaching nuts.
- d. "Bath-tub" type snap-on clips.
- e. Side loading type snap-on clips.
- f. "W-base" type snap-in clips.
- g. Weld-on studs and clips.
- h. Snap-in studs on pre-installed retainers.
- i. Snap-in type studs and clips (bayonet type) - (clip is an integral part of the stud).
- j & k. Spring type (self retained).
1. Pinch weld molding attaching clip (clip shown used on "A-80" style - skylight molding attaching clip similar).

Before using the molding charts the following information will be helpful when installing or removing exterior moldings.

1. Screw locations - the exact location for each screw is not shown or mentioned, but when

hidden, the general location is indicated by naming the molding or other part which conceals the screw and therefore must be removed to gain access to the screw.

2. When a molding is overlapped the overlapping molding is indicated in the "Engages with other molding" column and must be removed first.

To use the molding charts, use the following procedure:

1. Locate the illustration of the body. The illustrations are separated by car line and body type.
2. Note the number of the molding to be removed.
3. Turn to the molding chart for that particular car line and body type and locate the number noted in step two (2).

GENERAL PRECAUTIONS

When removing or installing any body exterior molding certain precautions should be exercised.

1. Adjacent finishes should be protected with masking tape to prevent damage to finish.
2. Proper tools and care should be employed to guard against molding damage.

SEALING OPERATION

Although detailed sealing operations for each individual molding are not described on the "Molding




Fig. 17-1—Exterior Molding Attachments




Fig. 17-2—Exterior Molding Attachments

Removal Chart" the following information is given to permit a satisfactory sealing operation.

Medium-bodied sealer or body caulking compound are the sealers most frequently used to provide a watertight seal or for anti-rattle measures.

Holes in body panels for screws, bolts, or clips that would permit water to enter the interior of the body should be sealed with body caulking compound or presealed screws, nuts or clips.

Drip moldings require a 1/4" bead of medium-bodied sealer along the full length of the inner attaching surface. Door window scalps and center pillar scalps require a 1/8" x 1/4" x 1/4" bead of caulking compound at 5" intervals for anti-rattle purposes. Pinchwelds require medium-bodied sealer on both sides when pinchweld clips are used. The exception is the rear quarter pinchweld on convertible styles which requires waterproof tape over the entire pinchweld, prior to clip installation.

TOOLS AND CARE

The following groups of moldings are listed with the name or description of the tool which is suitable for molding removal.

Roof Drip Scalps - pointed hook tool.

Door Window Scalps - thin flat-bladed tool (putty knife).




Fig. 17-3—Usage of Reveal Molding Removal Tool

Series	Windshield	Back Window	Quarter Window	Sky Light Window
All GM	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6

Tool

DESCRIPTION

J 21549-1	Handle
J 21549-3	Reveal Molding Remover (angle blade) (Use with J 21549-1)
J 21549-5	Reveal Molding Remover (Rt.) (Use with J 21549-1)
J 21549-6	Reveal Molding Remover (Lt.) (Use with J 21549-1)

Reveal moldings around adhesive caulked glass installations are retained by clips which are attached to the body opening by weld-on studs or screws. On all styles, a projection on the clip engages the reveal molding flange, retaining the molding between clip and body metal. To disengage a molding from retaining clips, use appropriate tool (see Chart) as shown in Figure 17-3.

If it is necessary to replace a damaged "bath-tub" molding clip, use the following procedure for removal and installation:

1. Insert sharp edge of flat-bladed tool, such as a putty knife, under edge of clip and hammer tool until base of clip is cut approximately half-way through (Fig. 17-4) then disengage clip from hole.

NOTE: In some cases, it may be necessary to cut clip at opposite end of base also.

2. Special tool J-21214 is required when installing metal bath-tub type clips.
3. No special tool is needed to install a new plastic bath-tub type clip.

If a weld stud on an outer panel becomes damaged or broken off use the following procedure:




Fig. 17-4—Removal of Bath-Tub Type Molding Clip

1. Drill a small hole in the panel adjacent to where original weld on stud was installed.
2. Insert a self sealing screw through original clip and into outer panel.

If a weld stud, attaching screw, or molding clip become damaged or broken off and must be replaced in a windshield, back window, or quarter window opening, use the following procedure:

1. Drill a small hole in the corner of the window opening rabbet adjacent to where original weld stud or screw was installed.
2. Insert a self-sealing screw through emergency replacement clip and into panel (Fig. 17-5).

CAUTION: Avoid contact with edge of glass during drilling operation and when installing clip.

ZINC ANODE CLIPS

As a corrosion preventative feature on certain 1968 styles (see chart on page 17-5), zinc-anode clips are used in the back window, quarter stationary window, and front lower skylight window rabbet areas, and are concealed by the reveal moldings. These clips are attached by standard weld-on type studs.




Fig. 17-5—Reveal Molding Clip Emergency Replacement

The clips are of a sacrificing type, so that corrosion attacks the anode clip rather than the body panel.

Replacement clips are available as service parts.

Zinc Anode Clip Locations	Styles	No. of Clips At Each Location
Back Window Lower Opening	All A-B-C-D-E-F-X-Z Bodies except 35-45-55-65 67-77-87 Styles	Total of 4 2 Each on Rt. & Lt. Sides
Quarter Window Lower Opening	All A-35-45-55-65 Styles All B-35-45 Styles	Total of 4 2 Each on Rt. & Lt. Sides
Front Skylight Window Lower Opening	All A-55 & 65 Styles	Total of 2 1 Each on Rt. & Lt. Sides

ZINC ANODE CLIP USAGE CHART

If a zinc anode clip attaching weld stud is damaged or broken off and replacement is necessary, the following procedure should be followed:




Fig. 17-6—Zinc-Anode Clip Installation

1. Drill a small hole adjacent to where the original stud was installed. (Glass should be protected and caution should be exercised when making this replacement.)
2. Install emergency replacement clip (Group 10.096) as shown in Figure 17-6. Use self sealing screw or apply body caulking compound around clip hole to effect a watertight seal.

NOTE:

1. Replacement of damaged weld stud may be realized without glass removal.
2. Both zinc anode clips and emergency replacement self-sealing screws are available as service parts.

METHODS OF MOLDING RETENTION
CHEVROLET "A" BODIES - 13000 SERIES
FIGURES 17-7 THROUGH 17-17

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	Cowl Air Intake Grille
2	Windshield Reveal Side	All	X (67 Only)		X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip Scalp	All (Except 67)		View K				Roof Drip Molding Front Scalp Escutcheon	
5	Roof Drip Molding Front Scalp Escutcheon	All (Except 67)		View K				Windshield Pillar Drip Scalp and Roof Drip Scalp	
6	Roof Drip Molding Front Scalp	39 Style		View K				Roof Drip Molding Front Scalp Escutcheon	
7	Roof Drip Molding Rear Scalp	39 Style		View K				Roof Drip Molding Front Scalp	
8	Roof Drip Molding Scalp	All (Except 39-67)		View K				Roof Drip Molding Front Scalp Escutcheon	
9	Front Door Window Frame Front Scalp	27, 35, 69, 80		View J					
10	Front Door Window Frame Upper Scalp	27, 35, 69, 80		View J				Front Door Window Frame Front Scalp	
11	Front Door Window Frame Rear Scalp	27, 35, 69		View J				Front Door Window Frame Upper Scalp	
12	Center Pillar Scalp	69	X						
13	Rear Door Window Frame Front Scalp	35, 69		View J				Rear Door Window Frame Upper Scalp	
14	Rear Door Window Frame Upper Scalp	35, 69		View J					
15	Rear Quarter Window Reveal Front	27 Style			X			Rear Quarter Window Reveal Upper	

METHODS OF MOLDING RETENTION
CHEVROLET "A" BODIES - 13000 SERIES
FIGURES 17-7 THROUGH 17-17

Key	Molding Name	Series or Styles	Screws	Spring (Self- Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
16	Rear Quarter Window Reveal Upper	27 Style	X					Quarter Window Glass Run Channel	
17	Rear Quarter Belt Reveal Front Corner Escutcheon	27-37 39-69 (Optional)	X			View F	View B	Rear Quarter Belt Reveal (27-37 Styles)	
18	Rear Quarter Belt Reveal	27-37 39-69 (Optional)			X		View B	Rear Quarter Belt Reveal Rear Corner Escutcheon	Trim in Sail Area (39-69 Only)
19	Rear Quarter Belt Reveal Rear Corner Escutcheon	27-37 39-69 (Optional)					X	Rear End Belt Reveal Rear Quarter Belt Reveal	
20	Rear Belt Reveal	27-37 39-69 (Optional)			X		X		
21	Body Lock Pillar Belt Reveal	80 Style (Optional)			X				
22	Rear Quarter Pinchweld Finishing	67	X		X				Lower Top Halfway
23	Rear Quarter Window Reveal Front Upper Corner Escutcheon	35			X			Loosen Rear Quarter Window Reveal Upper and Lower at Corner	
24	Rear Quarter Window Reveal Upper	35			X			Rear Quarter Window Reveal Front Upper Corner Escutcheon	
25	Rear Quarter Window Reveal Lower	35			X			Rear Quarter Window Reveal Front Upper Corner Escutcheon	
26	Rear Quarter Belt Finishing At Back Window	80			X		View B		Rear Seat Back
27	Rear Quarter Pinchweld Belt Finishing Front	80	X					Rear Quarter Belt Finishing at Back Window & Rear Quarter Pinchweld Finishing Rear	

METHODS OF MOLDING RETENTION
CHEVROLET "A" BODIES - 13000 SERIES
FIGURES 17-7 THROUGH 17-17

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
28	Rear Quarter Pinchweld Belt Finishing Rear	80			View L				
29	Rear Quarter Pinchweld Belt Finishing Rear of Rear Upper	80	X				X	Rear Quarter Pinchweld Belt Finishing Rear and Rear of Rear Lower	Tail Lamp Pocket
30	Rear Quarter Belt Finishing Rear of Rear Lower	80					X		Tail Lamp Pocket
31	Front Door Outer Panel	13600 13800	X		X				
32	Rear Door Outer Panel	13600	X		X				
33	Front of Rear Wheel Opening	13600 13800	X			View F	X		
35	Rear Wheel Opening	13639 (Optional)	X						
36	Rear of Rear Wheel Opening	13800 13680				X	X		
37	Rear Quarter Outer Panel Emblem and/or Nameplate	80					X		Rear Quarter Inner Access Hole Cover
38	Front Door Outer Panel Upper	13835	X		X				
39	Front Door Outer Panel Lower	13835	X		X				
40	Rear Door Outer Panel Upper	13835	X		X				
41	Rear Door Outer Panel Lower	13835	X		X				
42	Rear Quarter Outer Panel (Rt. Side)	13835			X				
43	Rear Quarter Outer Panel Front (Lt. Side)	13835			X				

METHODS OF MOLDING RETENTION
CHEVROLET "A" BODIES - 13000 SERIES
FIGURES 17-7 THROUGH 17-17

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
44	Rear Quarter Outer Panel at Gas Filler Door (Lt. Side)	13835	X						
45	Rear Quarter Outer Panel Rear (Lt. Side)	13835			X				
46	Rear Quarter Outer Panel Rear Vertical Upper	13835	X			View F		Rear Quarter Outer Panel Transfer Finishing Rear (Lt. Side)	
47	Rear Quarter Outer Panel Rear Vertical Lower	13835	X			View F		Rear of Rear Wheel Opening Outer Panel Transfer Finishing	
48	Front of Rear Wheel Opening Outer Panel	13835	X						
49	Rear of Rear Wheel Opening Outer Panel	13835			X			Rear Quarter Outer Panel Transfer Finishing Rear Vertical Lower	
50	Rear End Panel Emblem and/or Name Plate	All					X		
51	Rear End Outer Panel	13639 (Optional)					X		
52	Rear End Outer Panel Upper	13600 13800					X		
53	Rear End Outer Panel Lower	13600 13800					X		
54	Back Window Reveal Upper and Sides	27 & 37			X				
55	Back Window Reveal Upper	39-69			X			Back Window Reveal Side	
56	Back Window Reveal Side and Lower	39-69			X				

METHODS OF MOLDING RETENTION
CHEVROLET "A" BODIES - 13000 SERIES
FIGURES 17-7 THROUGH 17-17

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
57	Back Window Reveal Lower	27-37 80			X			Back Window Reveal Side	
58	Back Window Reveal Lower Corner Escutcheon	80						Loosen Lower Corner of Back Window Reveal Upper and Side and Loosen Back Window Lower Reveal Back Body Opening Side Reveal	
59	Back Body Opening Upper Reveal	35	X						Tail Gate Window Glass Run Channel
60	Back Body Opening Side Reveal	35	X						Back Body Opening Pinch weld Finishing Lace
61	Roof Panel Emblem	80				X			
62	Tail Gate Outer Panel Emblem and/or Name Plate	35, 80					X		Tail Gate Trim Assembly
63	Tail Gate Outer Panel Upper	13635-80 13835						Tail Gate Outer Panel Side (13835 Only)	Tail Gate Trim Assembly
64	Tail Gate Outer Panel Lower	13635-80 13835					X	Tail Gate Outer Panel Side (13835 Only)	Tail Gate Trim Assembly
65	Tail Gate Outer Panel Side	13835					X		Tail Gate Trim Assembly
66	Tail Gate Belt Finishing	80					X		
67	Rear of Rear Quarter Outer Panel Upper	13635-80	X			View F			
68	Rear of Rear Quarter Outer Panel Lower	13635-80	X			View F			
69	Rear Wheel Opening Transfer Finishing	13835	X						




Fig. 17-7—Chevrolet "A-27" Styles




Fig. 17-8—Chevrolet "A-37" Styles ("67" Styles Similar)




Fig. 17-9—Chevrolet "A-39" Styles




Fig. 17-10—Chevrolet "A-69" Styles




Fig. 17-11—Chevrolet "A-35" Styles (Less 13835 Style)




Fig. 17-12—Chevrolet 13835 Style




Fig. 17-13—Chevrolet "A-80" Styles




Fig. 17-14—Chevrolet 13200-13400-13600-13800 Styles (Less 35 Styles)




Fig. 17-15—Chevrolet "A-35" Styles (Less 13835 Style)




Fig. 17-16—Chevrolet 13835 Style




Fig. 17-17—Chevrolet "A-80" Styles

METHODS OF MOLDING RETENTION
CHEVROLET "B" BODIES - 15000 AND 16000 SERIES
FIGURES 17-18 THROUGH 17-29

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower	
3	Windshield Reveal Lower	All	X						
4	Windshield Pillar	All (Except 67)	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Windshield Pillar Finishing	67	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Windshield Header	67	X					Windshield Pillar Finishing, Windshield Upper Reveal	Rear View Mirror Support Sunshade Support
7	Roof Drip Molding Scalp	11, 39, 69, 87		View K				Windshield Pillar Drip	
8	Roof Drip Molding Scalp Front	35, 45, 47		View K				Windshield Pillar Drip	
9	Roof Drip Molding Scalp Rear	35, 45 47	X	View K				Roof Drip Molding Scalp Front	Rear Garnish Molding & Quarter Window Glass Run Channel (47 Style Only)
10	Front Door Window Frame Scalp Front	11, 35, 45, 69		View J					
11	Front Door Window Frame Scalp Upper	11, 35, 45, 69		View J				Front Door Window Frame Scalp Front	

METHODS OF MOLDING RETENTION
CHEVROLET "B" BODIES - 15000 AND 16000 SERIES
FIGURES 17-18 THROUGH 17-29

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
12	Front Door Window Frame Scalp Rear	11, 35, 45, 69		View J				Front Door Window Frame Scalp Upper	Front Door Vent Assembly
13	Front Door Window Belt Reveal (At Vent)	All (Less 16647)	X						
14	Rear Door Window Frame Scalp Front	35, 45, 69		View J				Rear Door Window Frame Scalp Upper	
15	Rear Door Window Frame Scalp Upper	35, 45, 69		View J				Rear Door Window Frame Scalp Rear (35, 45 Styles Only)	
16	Rear Door Window Frame Scalp Rear	35, 45		View J					
17	Rear Quarter Window Reveal Front	11			X			Rear Quarter Window Reveal Upper	Headlining At Rear Quarter Area
18	Rear Quarter Window Reveal Upper	11	X						
19	Rear Quarter Window Reveal Upper	35, 45			X			Rear Quarter Window Reveal Lower Escutcheon	
20	Rear Quarter Window Reveal Lower	35, 45			X			Rear Quarter Window Reveal Upper	
21	Rear Quarter Window Reveal Lower Escutcheon	35, 45			X				
22	Rear Quarter Belt Reveal	11, 39, 47, 69, 87 (Optional)			X		X		Front Door Trim Pad (For 16639-47)
23	Rear Quarter Belt Pinchweld Finishing	67	X			X			
24	Front Door Outer Panel	15600, 16400 16639, 16647	X		X		View B (For 16639-47)		

METHODS OF MOLDING RETENTION
 CHEVROLET "B" BODIES - 15000 AND 16000 SERIES
 FIGURES 17-18 THROUGH 17-29

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap-On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
25	Rear Door Outer Panel	15600, 16400, 16639	X		X		View B (For 16639)		Rear Door Trim Pad (For 16639)
26	Rear Quarter Outer Panel	15600-16400 15635-45 (Lt. Side)			X X		View B		Rear Quarter Trim Pad
27	Front of Rear Wheel Opening	16647	X		X		X		
28	Front of Rear Wheel Opening Corner	16639	X				X		
29	Rear Wheel Opening	16400 16600	X						
30	Rear of Rear Wheel Opening	16639-47				View F	View B		
31	Roof Panel Name Plate	16639-47					X		Headlining At Rear Quarter Area
32	Front Door Outer Panel Transfer Finishing Upper	16635-45	X		X				
33	Front Door Outer Panel Transfer Finishing Lower	16635-45	X		X				
34	Rear Door Outer Panel Transfer Finishing Upper	16635-45	X		X				
35	Rear Door Outer Panel Transfer Finishing Lower	16635-45	X		X				
36	Rear Quarter Outer Panel Transfer Finishing Upper	16635-45			X				
37	Front of Rear Wheel Opening Transfer Finishing Lower	16635-45	X				X		

METHODS OF MOLDING RETENTION
CHEVROLET "B" BODIES - 15000 AND 16000 SERIES
FIGURES 17-18 THROUGH 17-29

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
38	Rear of Rear Wheel Opening Transfer Finishing Lower	16635-45			X				
39	Rear Quarter Outer Panel Transfer Finishing Rear Vertical	16635-45				X			
40	Rear of Rear Quarter Outer Panel	16639-47	X				X		Rear of Rear Quarter Extension
41	Rear of Rear Quarter Outer Panel Transfer Finishing	16635-45	X			View F			
42	Rear of Rear Quarter Outer Panel Lower	16635-45	X						
43	Back Window Reveal Upper	All (Except 11, 35, 45, 67, 69)			X			Back Window Reveal Side	
44	Back Window Reveal Side	All (Except 11, 35, 45, 67, 69)			X				
45	Back Window Reveal Upper and Sides	11 and 69			X				
46	Back Window Reveal Lower	All (Except 35, 45, 67)			X			Back Window Reveal Side	
47	Back Body Opening Upper Reveal	35, 45	X					Back Body Opening Reveal Side	Upper Glass Run Channel
48	Back Body Opening Side Reveal	35, 45	X						
49	Tail Gate Window Reveal	35, 45	X			X			
50	Tail Gate Outer Panel Belt Reveal (Optional)	35, 45	X			X			

METHODS OF MOLDING RETENTION
 CHEVROLET "B" BODIES - 15000 AND 16000 SERIES
 FIGURES 17-18 THROUGH 17-29

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
51	Back Body Pillar Belt Finishing (Optional)	35, 45	X			X			
52	Rear Compartment Lid Outer Panel	16600	X						
53	Tail Gate Outer Panel Lower	16635-45	X		X				Tail Gate Trim Panel Assembly
54	Tail Gate Outer Panel Transfer Finishing Upper	16635-45	X		X				
55	Rear Compartment Lid Outer Panel Emblem	All (Except 35, 45)	X				X		
56	Rear Compartment Lid Outer Panel Name Plate	All (Except 35, 45)					X		
57	Tail Gate Outer Panel Emblem	35-45					X		Tail Gate Trim Panel Assembly
58	Tail Gate Outer Panel Name Plate	35-45					X		Tail Gate Trim Panel Assembly




Fig. 17-18—Chevrolet "B-11" Styles




Fig. 17-19—Chevrolet 16487 Styles (16467 Style Similar)




Fig. 17-20—Chevrolet 16447 Styles




Fig. 17-21—Chevrolet 16647 Styles




Fig. 17-22—Chevrolet 16439 Styles




Fig. 17-23—Chevrolet 16639 Styles




Fig. 17-24—Chevrolet "B-69" Styles




Fig. 17-25—Chevrolet "B-35-45" Styles (Less 16635-45 Styles)




Fig. 17-26—Chevrolet 16635-45 Styles




Fig. 17-27—Chevrolet 15400-15600-16400-16600 Styles (Less 35-45 Styles)




Fig. 17-28—Chevrolet "B-35-45" Styles (Less 16635-45 Styles)




Fig. 17-29—Chevrolet 16635-45 Styles

METHODS OF MOLDING RETENTION
CHEVROLET "F" BODIES - 12000 SERIES
FIGURES 17-30 AND 17-31

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower	
3	Windshield Reveal Lower	All	X						Cowl Air Intake Grille
4	Windshield Pillar Drip Molding Scalp	37 Style	X					Windshield Pillar Drip Molding Scalp Escutcheon	
5	Windshield Pillar Drip Molding Scalp Escutcheon	37 Style		View K					
6	Roof Drip Molding Scalp	37 Style		View K				Windshield Pillar Drip Molding Scalp Escutcheon	
7	Windshield Pillar Finishing	67 Style	X					Windshield Header Windshield Reveal Side	Windshield Pillar Weatherstrip and Weatherstrip Retainer
8	Windshield Header	67 Style	X					Windshield Reveal Upper and Sides	Rear View Mirror Support, Sunshade and Striker Support Windshield Pillar Weatherstrip and Weatherstrip Retainer
9	Rear Quarter Belt Reveal	37 Style (Optional)			X		X		
10	Rear Quarter Pinch Weld Finishing	67 Style	X		X				

METHODS OF MOLDING RETENTION
CHEVROLET "F" BODIES - 12000 SERIES
FIGURES 17-30 AND 17-31

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
11	Real Wheel Opening	All (Optional)	X						
12	Back Window Reveal Upper	37 Style			X			Back Window Reveal Side	
13	Back Window Reveal Side	37 Style			X			Back Window Reveal Lower	
14	Back Window Reveal Lower	37 Style			X				
15	Front Door Window Belt Reveal	All (Optional)	X						Rubber Bumper on Front Door Window Lower Stop
16	Quarter Window Belt Reveal	All (Optional)	X						
17	Front Door Outer Panel	All (Optional)	X						
18	Rear Quarter Outer Panel	All (Optional)	X			X			Rear Quarter Trim Pad
19	Rear Compartment Lid Outer Panel Emblem and/or Name Plate	All					X		




Fig. 17-30—Chevrolet "F-37-67" Styles




Fig. 17-31—Chevrolet "F-37-67" Styles

METHODS OF MOLDING RETENTION
CHEVROLET "X" BODIES - 11000 SERIES
FIGURES 17-32 THROUGH 17-34

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper Sides	All			X			Windshield Reveal Lower	Cowl Air Intake Grille
2	Windshield Reveal Lower	All	X						
3	Windshield Pillar Drip	All (Optional)	X						
4	Roof Drip Molding Scalp	All (Optional)		View K				Windshield Pillar Drip	
5	Rear Quarter Belt Reveal	All (Optional)			X				Rear Quarter Belt Reveal
6	Rear Quarter Belt Reveal Corner Escutcheon	All (Optional)	X				X		
7	Front Door Window Frame Front Scalp	All (Optional)		View J					
8	Front Door Window Frame Rear Scalp	All (Optional)		View J				Front Door Window Frame Front Scalp	
9	Rear Quarter Window Frame Front Scalp	27 Style (Optional)		View J					
10	Rear Quarter Window Frame Upper Scalp	27 Style (Optional)		View J				Rear Quarter Window Frame Front Scalp	
11	Center Pillar Scalp	69 Style (Optional)	X						
12	Rear Door Window Frame Front Scalp	69 Style (Optional)		View J				Rear Door Window Frame Upper Scalp	
13	Rear Door Window Frame Upper Scalp	69 Style (Optional)		View J					
14	Back Window Reveal Upper and Sides	All			X			Back Window Reveal Lower	

METHODS OF MOLDING RETENTION
CHEVROLET "X" BODIES - 11000 SERIES
FIGURES 17-32 THROUGH 17-34

Key	Molding Name	Series or Styles	Screws	Spring (Self-Re-tained)	Snap-On Clips or Re-tainers On Panel	Snap-On Clips On Molding	Studs With Attach-ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
15	Back Window Reveal Lower	All			X				
16	Front Door Outer Panel Lower	27 Style (Optional)	X		X				
17	Front of Rear Wheel Opening	27 Style (Optional)			X		View B		
18	Rear of Rear Wheel Opening	27 Style (Optional)			X	View F			
19	Rear of Rear Wheel Opening Lower	All (Optional)	X		X		View B		
20	Front Door Outer Panel	All (Optional)	X		X				
21	Rear Door Outer Panel	69 Style (Optional)	X		X				
22	Rear Quarter Outer Panel	All (Optional)			X		View B		
23	Rear Quarter Outer Panel Name Plate	All					X		
24	Rear End Outer Panel	All (Optional)					X		
25	Rear Compartment Lid Outer Panel Emblem	All					X		
26	Rear End Outer Panel Emblem	27 Style (Optional)					X		




Fig. 17-32—Chevrolet "X-27" Styles




Fig. 17-33—Chevrolet "X-69" Styles




Fig. 17-34—Chevrolet "X-27-69" Styles

METHODS OF MOLDING RETENTION
CHEVROLET "Z" BODIES - 10000 SERIES
FIGURES 17-35 THROUGH 17-37

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Front End Outer Panel	All					X		Front Compartment Lock Cylinder and Retainer
2	Front End Outer Panel Name Plate	All					X		
3	Front Wheel Opening	10500	X						
4	Front Fender Emblem	All			View H		X		Front Cowl Trim Foundation
5	Windshield Reveal Upper	All			X				
6	Windshield Reveal Side	All			X			Windshield Reveal Upper	
7	Windshield Reveal Lower	All			X			Windshield Reveal Side	
8	Windshield Pillar Drip Molding Scalp	10537-67		View K				Windshield Pillar Drip Molding Scalp Escutcheon	
9	Windshield Pillar Drip Molding Scalp Escutcheon	10537-67		View K					
10	Roof Drip Molding Scalp	10537		View K				Windshield Pillar Drip Molding Scalp Escutcheon	
11	Rocker Outer Panel	10500	X		X				
12	Rear Wheel Opening	10500	X						
13	Back Window Reveal Upper	37 Styles			X			Back Window Reveal Sides	
14	Back Window Reveal Side	37 Styles			X				
15	Back Window Reveal Lower	37 Styles			X			Back Window Reveal Sides	

METHODS OF MOLDING RETENTION

CHEVROLET "Z" BODIES - 10000 SERIES
FIGURES 17-35 THROUGH 17-37

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
16	Windshield Header Center	10567	X					Windshield Header Sides-Windshield Reveal Upper	Windshield Pillar Weather-strip Rear View Mirror Support-Sunshade and Striker Support
17	Windshield Header-Sides	10567	X					Windshield Reveal Upper and Sides	Windshield Pillar Weather-strip Sunshade and Striker Support
18	Rear Quarter Pinch-Finishing	10567	X		X				
19	Rear of Rear Quarter	All					X		
20	Rear of Rear Quarter Finishing	10500	X					Rear of Rear Quarter	
21	Engine Compartment Lid	10500	X						
22	Engine Compartment Lid Name Plate	All					X		
23	Rear End Panel	10500					X	Rear of Rear Quarter Finishing	




Fig. 17-35—Chevrolet "Z-37-67" Styles




Fig. 17-36—Chevrolet "Z-37-67" Styles




Fig. 17-37—Chevrolet "Z-37-67" Styles

METHODS OF MOLDING RETENTION
PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All	X (67 Only)		X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	Cowl Air Intake Grille
4	Windshield Pillar Drip Scalp	All (Except-67)		View K				Roof Drip Molding Front Scalp Escutcheon	
5	Roof Drip Molding Front Scalp Escutcheon	All (Except-67)		View K				Windshield Pillar Drip Scalp and Roof Drip Scalp	
6	Roof Drip Molding Front Scalp	39 Style		View K				Roof Drip Molding Front Scalp Escutcheon	
7	Roof Drip Molding Rear Scalp	39 Style		View K				Roof Drip Molding Front Scalp	
8	Roof Drip Molding Scalp	All (Except-39-67)		View K				Roof Drip Molding Front Scalp Escutcheon	
9	Front Door Window Frame Front Scalp	27, 35, 69		View J					
10	Front Door Window Frame Upper Scalp	27, 35, 69		View J				Front Door Window Frame Front Scalp	
11	Front Door Window Frame Rear Scalp	27, 35, 69		View J				Front Door Window Frame Upper Scalp	
12	Center Pillar Scalp	35-69	X						
13	Rear Door Window Frame Front Scalp	35, 69		View J				Rear Door Window Frame Upper Scalp	
14	Rear Door Window Frame Upper Scalp	35, 69		View J					

METHODS OF MOLDING RETENTION

PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
15	Rear Quarter Window Reveal Front	27 Style			X				
16	Rear Quarter Window Reveal Upper	27 Style	X					Quarter Window Glass Run Channel	
17	Rear Quarter Belt Reveal Front Corner Escutcheon	27-37 (Optional)	X			View F		Rear Quarter Belt Reveal	
18	Rear Door Corner Finishing Molding	39-69 (Optional)					View B		
19	Rear Quarter Belt Reveal	27-37 39-69 (Optional)			X		View B	Rear Quarter Belt Reveal Rear Corner Escutcheon	Trim in Sail Area (39-69 Only)
20	Rear Quarter Belt Reveal Rear Corner Escutcheon	27-37 39-69 (Optional)					X	Rear Quarter Belt Reveal Rear End Belt Reveal	

METHODS OF MOLDING RETENTION

PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
38	Rear of Rear Wheel Opening Outer Panel Transfer Finishing	23935			X				
39	Rear Wheel Opening Transfer Finishing	23935				View F	View B	Rear of Rear Wheel Opening Outer Panel Transfer Finishing	
40	Rear Compartment Lid Outer Panel Emblem and/or Nameplate	All (Except 35)					X		
41	Back Window Reveal Upper and Side	27-37			X				
42	Back Window Reveal	39-69			X			Back Window Reveal Side	

METHODS OF MOLDING RETENTION
PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
28	Rear Quarter Outer Panel Emblem and/or Nameplate	23700 24200					X		
29	Front Door Outer Panel Transfer Finishing Upper	23935	X		X				
30	Front Door Outer Panel Transfer Finishing Lower	23935	X		X				
31	Rear Door Outer Panel Transfer Finishing Upper	23935	X		X		View B		Rear Door Trim Assembly
32	Rear Door Outer Panel Transfer Finishing Lower	23935	X		X				
33	Rear Quarter Outer Panel Transfer Finishing (Rt. Side)	23935			X				
34	Rear Quarter Outer Panel Transfer Finishing Front (Lt. Side)	23935			X				
35	Rear Quarter Outer Panel Transfer Finishing at Gas Filler Door (Lt. Side)	23935	X						
36	Rear Quarter Outer Panel Transfer Finishing Rear (Lt. Side)	23935			X				
37	Rear Quarter Outer Panel Transfer Finishing Rear Vertical	23935	X			View F		Rear Quarter Outer Panel Transfer Finishing (Rt. Side) Rear Quarter Outer Panel Transfer Finishing Upper Rear (Lt. Side) Rear of Rear Wheel Opening Transfer Finishing	

METHODS OF MOLDING RETENTION
PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Re-tained)	Snap-On Clips or Re-tainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
38	Rear of Rear Wheel Opening Outer Panel Transfer Finishing	23935			X				
39	Rear Wheel Opening Transfer Finishing	23935				View F	View B	Rear of Rear Wheel Opening Outer Panel Transfer Finishing	
40	Rear Compartment Lid Outer Panel Emblem and/or Nameplate	All (Except 35)					X		
41	Back Window Reveal Upper and Side	27-37			X				
42	Back Window Reveal Upper	39-69			X			Back Window Reveal Side	
43	Back Window Reveal Sides and Lower	39-69			X				
44	Back Window Reveal Lower	27-37			X			Back Window Reveal Side	
45	Back Body Opening Upper Reveal	35	X					Back Body Opening Side Reveal	Tailgate Window Glass Run Channel
46	Back Body Opening Side Reveal	35	X						
47	Tailgate Outer Panel Emblem and/or Nameplate	35					X		Tailgate Trim Assembly
48	Tailgate Outer Panel Transfer Finishing Upper	23935			X		View C	Tailgate Outer Panel Transfer Finishing Side	Tailgate Trim Assembly
49	Tailgate Outer Panel Transfer Finishing Lower	23935			X			Tailgate Outer Panel Transfer Finishing Side	
50	Tailgate Outer Panel Transfer Finishing Side	23935					View C		Tailgate Trim Assembly

METHODS OF MOLDING RETENTION
PONTIAC "A" BODIES - 23000 AND 24000 SERIES
FIGURES 17-38 THROUGH 17-45

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
51	Bodylock Pillar Belt Reveal	35 (Optional)			View H		X		Bodylock Pillar Trim
52	Back Body Pillar Belt Reveal	35 (Optional)	X			View F			
53	Tailgate Outer Panel Belt Reveal	35 (Optional)	X		X				




Fig. 17-38—Pontiac "A-27" Styles




Fig. 17-39—Pontiac "A-37" Styles ("67" Styles Similar)




Fig. 17-40—Pontiac "A-39" Styles




Fig. 17-41—Pontiac "A-69" Styles




Fig. 17-42—Pontiac "A-35" Styles (Less 23935 Style)




Fig. 17-43—Pontiac 23935 Style




Fig. 17-44—Pontiac 23300-23500-23700-24200 Styles (Less 35 Styles)




Fig. 17-45—Pontiac "A-35" Styles

METHODS OF MOLDING RETENTION

PONTIAC "B" BODIES - 25000 AND 26000 SERIES
FIGURES 17-46 THROUGH 17-56

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip	All (Except 67)	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Windshield Pillar Finishing	67	X					Windshield Reveal Side	Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Windshield Header	67	X					Windshield Reveal Upper and Sides Windshield Pillar Finishing	Rear View Mirror Support Sunshade Support
7	Roof Drip Molding Scalp	11-39 57-69-87		View K				Windshield Pillar Drip	
8	Roof Drip Molding Scalp Front	35, 45		View K				Windshield Pillar Drip	
9	Roof Drip Molding Scalp Rear	35, 45		View K				Roof Drip Molding Scalp Front	
10	Roof Panel Name Plate	26239-87					X		Head Lining-Rear Quarter Trim
11	Front Door Window Frame Front Scalp	11-35-45-69		View J					
12	Front Door Window Frame Upper Scalp	11, 35, 45, 69		View J				Front Door Window Frame Front Scalp	
13	Front Door Window Frame Rear Scalp	11, 35, 45, 69		View J				Front Door Window Frame Upper Scalp	

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 25000 AND 26000 SERIES
FIGURES 17-46 THROUGH 17-56

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Front Door Window Belt Reveal (At Vent)	All (Except 26657)	X						Front Door Vent Assembly
15	Front Door Window Belt Reveal	26600	X						Rubber Bumper on Door Glass Lower Stop
16	Rear Door Window Frame Front Scalp	35, 45, 69		View J				Rear Door Window Frame Upper Scalp	
17	Rear Door Window Frame Upper Scalp	35, 45, 69		View J				Rear Door Window Frame Rear Scalp	
18	Rear Door Window Frame Rear Scalp	35, 45		View J					
19	Rear Quarter Window Reveal Upper	11	X						
20	Rear Quarter Window Reveal Front	11			X			Rear Quarter Window Reveal Upper	
21	Rear Quarter Window Belt Reveal	26600	X						Rear Quarter Window Glass Lower Stop
22	Rear Quarter Belt Reveal	11, 39, 69, 87			X		X		
23	Rear Compartment Lid Front Molding	87 and 26657 with Vinyl Top	X				X	Rear Compartment Lid Finishing Molding	
24	Rear Compartment Lid Finishing Molding	87 and 26657 with Vinyl Top	X		X				
25	Rear Quarter Pinchweld Finishing Molding	67	X		X				
26	Rear Quarter Window Reveal Upper	35, 45			X			Rear Quarter Window Reveal Lower	
27	Rear Quarter Window Reveal Lower	35, 45			X			Rear Quarter Window Reveal Lower Escutcheon	

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 25000 AND 26000 SERIES
FIGURES 17-46 THROUGH 17-56

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
28	Rear Quarter Window Reveal Lower Escutcheon	35, 45			X			Loosen Rear Quarter Window Reveal Upper and Lower	
29	Roof Panel Cover Side Finishing	26657			X			Roof Panel Cover Finishing Rear Corner Escutcheon	
30	Roof Panel Cover Finishing Rear Corner Escutcheon	26657	X				X		
31	Front Door Outer Panel	All (Except 25635-45 26657)	X		X				
32	Rear Door Outer Panel	All (Except 25635-45)	X		X				
33	Rear Quarter Outer Panel	All (Except 26657 25635-45)				X	X		
34	Rear Wheel Opening Front	25635-45	X						
35	Rear Wheel Opening Center	25635-45	X						
36	Rear Wheel Opening-Rear	25635-45	X						
37	Rear of Rear Quarter Outer Panel (In Bumper Cove)	26200 and 26600 (Less 45)	X						Rear Bumper
38	Rear Compartment Lid Outer Panel Emblem and/or Name Plate	All (Except 35-45)					X		
39	Rear End Panel Name Plate	All (Except 26200)					X		
40	Rear Quarter Outer Panel Name Plate	26657					X		Rear Compartment Side Trim

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 25000 AND 26000 SERIES
FIGURES 17-46 THROUGH 17-56

Key	Molding Name	Series or Styles	Screws	Spring (Self- Retained)	Snap-On Clips or Re- tainers On Panel	Snap-On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
41	Front Door Outer Panel Transfer Finishing Upper	25635-45	X			X		Front Door Outer Panel Upper Insert	Loosen Rear Bumper
42	Front Door Outer Panel Upper Insert	25635-45	X			X			
43	Front Door Outer Panel Transfer Finishing Lower	25635-45	X						
44	Rear Door Outer Panel Transfer Finishing Upper	25635-45	X			X		Rear Door Outer Panel Upper Insert	
45	Rear Door Outer Panel Upper Insert	25635-45	X			X			
46	Rear Door Outer Panel Transfer Finishing Lower	25635-45	X						
47	Rear Quarter Outer Panel Transfer Finishing	25635-45	X			X		Rear Quarter Outer Panel Insert	
48	Rear Quarter Outer Panel Insert	25635-45				X			
49	Rear Quarter Outer Panel Transfer Finishing Front	25635-45	X						
50	Rear Quarter Outer Panel Transfer Finishing Rear	25635-45	X						
51	Back Window Reveal Upper	All (Except 11, 35, 45, 57, 67)			X			Back Window Reveal Sides	
52	Back Window Reveal Sides	All (Except 11, 35, 45, 57, 67)			X			Back Window Reveal Lower	
53	Back Window Reveal Upper and Sides	25211 26657			X			Back Window Reveal Lower	
54	Back Window Reveal Lower	All (Except 35, 45, 67)			X			Back Window Reveal Sides	

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 25000 AND 26000 SERIES
FIGURES 17-46 THROUGH 17-56

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
55	Back Body Opening Reveal Upper	35, 45	X					Back Body Opening Reveal Side	Tail Gate Glass Run Channel
56	Back Body Opening Reveal Side	35, 45	X					Back Body Opening Reveal Upper	
57	Tail Gate Window Reveal	35, 45	X			X			
58	Tail Gate Outer Panel Belt Reveal (Optional)	35, 45	X			X			
59	Tail Gate Outer Panel Emblem and/or Name Plate	35, 45					X		Tail Gate Trim Assembly
60	Tail Gate Outer Panel Transfer Finishing	25635-45					X		Tail Gate Trim Assembly
61	Tail Gate Outer Panel Lower	26245	X						Loosen Bumper
62	Back Body Pillar Belt Reveal (Optional)	35, 45	X			X			
63	Rear Compartment Lid Rear Molding	26657	X					Rear of Rear Quarter Outer Panel at Compartment Lid	
64	Rear of Rear Quarter Outer Panel at Compartment Lid	26657	X						
65	Rear End Panel	26200					X		
66	Rear Quarter Outer Panel Transfer Finishing Lower	25635-45	X		X				
67	Rear of Rear Quarter Outer Panel (At Tail Lamp)	26245	X						Loosen Bumper
68	Rear of Rear Quarter Outer Panel (At Tail Lamp)	All (Less 35-45)					X		Rear Bumper




Fig. 17-46—Pontiac "B-11" Styles




Fig. 17-47—Pontiac "B-87" Styles ("67" Styles Similar)




Fig. 17-48—Pontiac 26657 Styles




Fig. 17-49—Pontiac "B-39" Styles




Fig. 17-50—Pontiac "B-69" Styles




Fig. 17-51—Pontiac "B-35-45" Styles (Less 25635-45 Styles)




Fig. 17-52—Pontiac 25635-45 Styles




Fig. 17-53—Pontiac 25200-25600 Styles (Less 35-45 Styles)




Fig. 17-56—Pontiac 25635-45 Styles

METHODS OF MOLDING RETENTION
PONTIAC "F" BODIES - 22000 SERIES
FIGURES 17-57 AND 17-58

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	Cowl Air Intake Grille
2	Windshield Reveal Side	All			X			Windshield Reveal Lower	
3	Windshield Reveal Lower	All	X						
4	Windshield Pillar Drip Molding Scalp	All	X					Windshield Pillar Drip Molding Scalp Escutcheon	
5	Windshield Pillar Drip Molding Scalp Escutcheon	22637		View K					
6	Roof Drip Molding Scalp	22637		View K				Windshield Pillar Drip Molding Scalp Escutcheon	
7	Windshield Header	67 Style	X					Windshield Reveal Upper and Sides	Rear View Mirror Support Sunshade and Striker Support Windshield Pillar Weatherstrip and Weatherstrip Retainer Windshield Pillar Weatherstrip and Weatherstrip Retainer
8	Windshield Pillar Finishing	67 Style	X					Windshield Header Windshield Reveal Side	
9	Rear Quarter Belt Reveal	37 Style (Optional)				X	X		
10	Louvers-Body Side (6 Req'd, Per Side)	All					X		Rear Quarter Trim Pad
11	Rear Wheel Opening	All	X						
12	Back Window Reveal Upper	37 Styles			X			Back Window Reveal Side	

METHODS OF MOLDING RETENTION
PONTIAC "F" BODIES - 22000 SERIES
FIGURES 17-57 AND 17-58

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
13	Back Window Reveal Side	37 Style			X			Back Window Reveal Lower	
14	Back Window Reveal Lower	37 Style			X				
15	Rear Compartment Lid Emblem "400"	All (Optional)					X		
16	Rear Compartment Lid Name Plate	All					X		
17	Rear Quarter Pinch Weld Finishing	67 Style	X		X				




Fig. 17-57—Pontiac "F-37-67" Styles




Fig. 17-58—Pontiac "F-37-67" Styles

METHODS OF MOLDING RETENTION

OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES
FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All	X (67 Only)		X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	Cowl Air Intake Grille
4	Windshield Pillar Drip Scalp	All (Except 67)		View K				Roof Drip Molding Front Scalp Escutcheon	
5	Roof Drip Molding Front Scalp Escutcheon	All (Except 67)		View K				Windshield Pillar Drip Scalp and Roof Drip Scalp	
6	Roof Drip Molding Front Scalp	39 Style		View K				Roof Drip Molding Front Scalp Escutcheon	
7	Roof Drip Molding Rear Scalp	39 Style		View K				Roof Drip Molding Front Scalp	
8	Roof Drip Molding Scalp	All (Except 39-67)		View K				Roof Drip Molding Front Scalp Escutcheon	
9	Front Door Window Frame Front Scalp	35-55-65 69-77		View J					
10	Front Door Window Frame Upper Scalp	35-55-65 69-77		View J				Front Door Window Frame Front Scalp	
11	Front Door Window Frame Rear Scalp	35-55-65 69-77		View J				Front Door Window Frame Upper Scalp	
12	Center Pillar Scalp	35-55 65-69	X						
13	Rear Door Window Frame Front Scalp	35-55 65-69		View J				Rear Door Window Frame Upper Scalp	
14	Rear Door Window Frame Upper Scalp	35-55 65-69		View J					
15	Rear Quarter Window Reveal Front	77 Style			X			Rear Quarter Window Reveal Upper	

METHODS OF MOLDING RETENTION

OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES
FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
16	Rear Quarter Window Reveal Upper	77 Style	X						Quarter Window Glass Run Channel
17	Rear Quarter Belt Reveal Front Corner Escutcheon	77-87 (Optional)			X		X		Rear Quarter Upper Trim
18	Rear Door Corner Finishing	39-69 (Optional)					View B		
19	Rear Quarter Belt Reveal	77-87 39-69 (Optional)			X		View B	Rear Quarter Belt Reveal Rear Corner Escutcheon	Trim in Sail Area (39-69 Only)
20	Rear Quarter Belt Reveal Rear Corner Escutcheon	77-87 39-69 (Optional)					X	Rear End Belt Reveal (39-69 Style Only) Rear Quarter Belt Reveal	
21	Rear End Belt Reveal	39-69 (Optional)			X		View B		
22	Roof Panel Cover Front	39 Style			X			Roof Panel Cover Front Corner Escutcheon	
23	Roof Panel Cover Front Corner Escutcheon	39 Style	X						
24	Roof Panel Cover Side	39 Style			X			Roof Panel Cover Front Corner Escutcheon	
25	Roof Panel Cover Rear	39 Style			X			Roof Panel Cover Side	
26	Front Door Belt Reveal	All (Less 33677-87) (Optional)	X						Front Door Window Lower Stop
27	Rear Door Belt Reveal	35-39-55-65-69 (Optional)	X						Rear Door Window Lower Stop
28	Rear Quarter Window Belt Reveal	67 (Optional)	X						Quarter Window Lower Stop

METHODS OF MOLDING RETENTION

OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES

FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
29	Front Door Belt Reveal Lower	77-87-33667 (Optional)	X		X				
30	Rear Quarter Belt Reveal Lower	77-87 (Optional)			X		X		Rear Quarter Upper Trim
31	Compartment Lid	77-87 (Optional)	X					Compartment Lid Finishing Mldg.	
32	Compartment Lid Finishing Molding	77-87 (Optional)			X				
33	Rear Quarter Window Reveal Front Upper Corner Escutcheon	35 Style			X			Loosen Rear Quarter Window Reveal Upper and Lower at Corner	
34	Rear Quarter Window Reveal Upper	35 Style			X			Rear Quarter Window Reveal Front Upper Corner Escutcheon	
35	Rear Quarter Window Reveal Lower	35 Style			X			Rear Quarter Window Reveal Front Upper Corner Escutcheon	
36	Front Skylight Front Reveal	55-65			X			Front Skylight Rear Reveal	
37	Front Skylight Rear Reveal	55-65			X				
38	Side Skylight Upper Reveal	55-65			X			Loosen Front Upper Corner of Quarter Window Skylight Front Reveal	
39	Quarter Window Skylight Front Reveal	55-65			X			Quarter Window Skylight Rear Reveal	
40	Quarter Window Skylight Lower Reveal	55-65			X			Quarter Window Skylight Front Reveal	
41	Quarter Window Skylight Rear Reveal	55-65			X			Side Skylight Upper Reveal	

METHODS OF MOLDING RETENTION

OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES

FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
42	Side Skylight-Quarter Window Division Reveal	55-65				View L		Quarter Window Skylight Rear Reveal	Bodylock Pillar Trim
43	Bodylock Pillar Belt Reveal	35-55-65 (Optional)			View H		X		
44	Back Body Pillar Belt Reveal	35-55-65 (Optional)	X			View F			
45	Rear Quarter Pinch-weld Finishing	67	X		X				
46	Front Door Outer Panel	33269-77 (Optional) 33635-39-69 34200-34800	X		X			Lower Top Halfway	
47	Front Door Outer Panel-Upper	34855-65 33667	X		X				
48	Rear Door Outer Panel	33269 (Opt.) 33635-39-69 34239-69 34855-65	X		X				
49	Rear Door Outer Panel Upper	34855-65	X		X				
50	Rear Wheel Opening-Front	33269-77 (Optional) 336-39-69 34200 34800	X			View I		Front of Rear Wheel Opening (34827 Only) Rear Wheel Opening Center	
51	Rear Wheel Opening-Center	33269-77 (Optional) 336-39-69 34200 34800					View B		
52	Rear Wheel Opening-Rear	34200 34800	X					Rear Wheel Opening Center Rear of Rear Wheel Opening	
53	Rear Wheel Opening	33667-77-87 33635	X						

METHODS OF MOLDING RETENTION
 OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES
 FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
54	Rear Wheel Opening Upper	34855-65					View B		
55	Front of Rear Wheel Opening	33277 (Optional) 34287			X				
56	Rear of Rear Wheel Opening	34239-69 34800					X		
57	Rear of Rear Wheel Opening Upper	34855-65				View I		Rear Wheel Opening Upper	
58	Rear of Rear Quarter Outer Vertical	34855-65	X		X			Rear of Rear Wheel Opening and Rear of Rear Wheel Opening Upper	
59	Rear Quarter Outer Panel Peak	33667			X		View B		Rear Quarter Trim
60	Rear Compartment Lid Rear	33639-67-69-77-87 33367-34239-69-87					X		
61	Rear of Rear Quarter Outer	33639-67-69-77-87 33367-34239-69-87	X						Rear Bumper Taillamp Assy.
62	Rear Compartment Outer Panel Emblem	33600 34200					X		
63	Rear Compartment Outer Panel Name-Plate	All					X		
64	Back Window Reveal Upper and Side	77-87			X				
65	Back Window Reveal Upper	39-69			X			Back Window Reveal Side	
66	Back Window Reveal Side and Lower	39-69			X				
67	Back Window Reveal Lower	77-87			X			Back Window Reveal Side	

METHODS OF MOLDING RETENTION
OLDSMOBILE "A" BODY - 33000 AND 34000 SERIES
FIGURES 17-59 THROUGH 17-67

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
68	Back Body Opening Upper Reveal	35-55-65	X					Back Body Opening Side Reveal	Tailgate Window Glass Run Channel
69	Back Body Opening	35-55-65	X						
70	Tailgate Outer Panel Belt Reveal	35-55-65	X		X				
71	Tailgate Outer Panel Emblem	35-55-65					X	Tailgate Outer Panel Side	Tailgate Trim Panel
72	Tailgate Outer Panel Nameplate	35-55-65					X		Tailgate Trim Panel
73	Tailgate Outer Panel Upper	34855-65			X				
74	Tailgate Outer Panel Lower	34855-65			X			Tailgate Outer Panel Side	
75	Tailgate Outer Panel Side	34855-65					X		




Fig. 17-59—Oldsmobile "A-77" Styles




Fig. 17-60—Oldsmobile "A-87" Styles (33667 Style Similar)




Fig. 17-61—Oldsmobile "A-39" Styles




Fig. 17-62—Oldsmobile "A-69" Styles




Fig. 17-63—Oldsmobile "A-35" Styles




Fig. 17-64—Oldsmobile "A-55-65" Styles




Fig. 17-67—Oldsmobile "A-55-65" Styles

METHODS OF MOLDING RETENTION

OLDSMOBILE "B-C" BODIES - 35000, 36000 AND 38000 SERIES
FIGURES 17-68 THROUGH 17-81

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower	
3	Windshield Reveal Lower	All	X						
4	Windshield Pillar Drip	All (Except 67)	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Windshield Pillar Finishing	67	X					Windshield Reveal Side	Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Windshield Header	67	X					Windshield Pillar Finishing, Windshield Reveal Upper	Sunshade Support, Rear View Mirror Support
7	Roof Drip Molding Scalp	All (Except 67 and 38439-38457)		View K				Windshield Pillar Drip	
8	Roof Drip Molding Front Scalp	38439-57		View K				Windshield Pillar Drip	
9	Roof Drip Molding Rear Scalp	38439-57	X	View K				Roof Drip Molding Front Scalp	Side Roof Rail Weather Strip Retainer
10	Roof Panel Emblem	38669 (With Fabric Roof Cover)					X		Rear Quarter Upper Trim Panel
11	Front Door Window Frame Front Scalp	69 (Except 38000 Series)		View J					
12	Front Door Window Frame Upper Scalp	69 (Except 38000 Series)		View J				Front Door Window Frame Front Scalp	
13	Front Door Window Frame Rear Scalp	69 (Except 38000 Series)		View J				Front Door Window Frame Upper Scalp	

METHODS OF MOLDING RETENTION

OLDSMOBILE "B-C" BODIES - 35000, 36000 AND 38000 SERIES
FIGURES 17-68 THROUGH 17-81

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Front Door Window Belt Reveal (at Vent)	All							Front Door Vent Assembly
15	Front Door Window Belt Reveal	All	X					Front Door Window Belt Reveal at Vent	Rubber Bumper on Front Door Window Lower Stop
16	Center Pillar Scalp	38469-38669	X						Side Roof Rail Weatherstrip Front and Rear
17	Rear Door Window Frame Front Scalp	69 (Except 38000 Series)		View J				Rear Door Window Frame Upper Scalp	
18	Rear Door Window Frame Upper Scalp	69 (Except 38000 Series)		View J					
19	Rear Door Window Belt Reveal	39, 69	X						Rubber Bumper on Rear Door Window Lower Stop
20	Rear Quarter Window Belt Reveal	57, 67, 87	X						Rear Quarter Window Lower Stop
21	Rear Quarter Window Belt Reveal Escutcheon	87		X				Rear Quarter Window Belt Reveal	
22	Roof Panel Cover Front	35639-87 36439-87 36639-87	X		X			Roof Panel Cover Side	
23	Roof Panel Cover Side	35639-87 36439-87 36639-87			X			Rear Quarter Belt Reveal	
24	Rear Quarter Belt Reveal	All (Except 67)			X	X	X	Roof Panel Cover Side	
25	Rear Quarter Belt Reveal Corner Escutcheon	38469 38669					X	Rear Quarter Belt Reveal	
26	Rear Belt Reveal	38469 38669					X	Rear Quarter Belt Reveal Corner Escutcheon	

METHODS OF MOLDING RETENTION

OLDSMOBILE "B-C" BODIES - 35000, 36000 AND 38000 SERIES
FIGURES 17-68 THROUGH 17-81

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
27	Rear Quarter Pinch-weld Finishing Molding	67	X		X				
28	Front Door Outer Panel	36400-36600 38000	X X		X		X X		Front Door Trim Pad Front Door Trim Pad
29	Rear Door Outer Panel	36439-69 36639 38000	X X		X		View B X		Rear Door Trim Pad Rear Door Trim Pad
30	Front of Rear Wheel Opening Corner	36487	X				X		
31	Front of Rear Wheel Opening	36639 38457-67 36487 36687	X		X		X X X	Wheel Opening Front of Rear Wheel Opening Corner	Rear Quarter Trim Pad Rear Quarter Trim Pad
32	Rear Wheel Opening	35600 36400 36600	X X X				X X		
33	Rear of Rear Wheel	All					X	Rear Wheel Opening (36000 Styles Only)	
34	Back Window Reveal Upper	All (Except 67)			X			Back Window Reveal Side	
35	Back Window Reveal Side	All (Except 67 & 35669)			X			Back Window Reveal Lower	
36	Back Window Reveal Lower	All (Except 67)			X				
37	Rear Compartment Lid Outer Panel Emblem and/or Name Plate	35600 and 36000 38000				View I	X		

METHODS OF MOLDING RETENTION

OLDSMOBILE "B-C" BODIES - 35000, 36000 AND 38000 SERIES

FIGURES 17-68 THROUGH 17-81

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
38	Rear of Rear Quarter	35600 36000	X				X		Rear Quarter Outer Extension, Loosen Rear Bumper
39	Rear Compartment Lid Outer Panel	All (Less 38000 Series)	X						
40	Rear Compartment Lid Outer Panel Lower Side	38000	X					Rear Compartment Lid Outer Panel Center	
41	Rear Compartment Lid Outer Panel Upper Side	38000	X					Rear Compartment Lid Outer Panel Center	
42	Rear Compartment Lid Outer Panel Center	38000					X	Rear Compartment Lid Outer Panel Upper and Lower Side	
43	Front Door Outer Panel Peak	39-69-87 (Optional)	X		X				
44	Rear Door Outer Panel Peak	39-69 (Optional)	X		X				
45	Rear Quarter Outer Panel Peak	87 (Optional)			X		View B		Rear Quarter Trim




Fig. 17-68—Oldsmobile 35687 Styles (35667 Style Similar)




Fig. 17-69—Oldsmobile 36487 Styles




Fig. 17-70—Oldsmobile 36687 Styles




Fig. 17-71—Oldsmobile 35639 Styles




Fig. 17-72—Oldsmobile 36439 Styles




Fig. 17-73—Oldsmobile 36639 Styles




Fig. 17-74—Oldsmobile 35669 Styles




Fig. 17-75—Oldsmobile 36469 Styles




Fig. 17-76—Oldsmobile 35600-36400-36600 Styles




Fig. 17-77—Oldsmobile 38457 Style




Fig. 17-78—Oldsmobile 38467 Style




Fig. 17-79—Oldsmobile 38439 Style




Fig. 17-80—Oldsmobile 38469-38669 Styles




Fig. 17-81—Oldsmobile 38400-38600 Styles

METHODS OF MOLDING RETENTION
 OLDSMOBILE "E" BODIES - 39000 SERIES
 FIGURES 17-82 AND 17-83

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X				
2	Windshield Reveal Side	All			X			Windshield Reveal Upper	
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip Molding Scalp	All		View K					Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Roof Drip Molding Scalp	All		View K				Windshield Pillar Drip Molding Scalp	
6	Front Door Window Belt Reveal	All	X		X				Rubber Bumper on Front Door Window Lower Stop
7	Rear Quarter Window Belt Reveal	All	X		X			Roof Drip Molding Scalp	Rear Quarter Window
8	Rear Quarter Belt Reveal	All (Optional)			X		X		Rear Compartment Side Trim Panel
9	Front Door Outer Panel	All	X		X				
10	Back Window Reveal Upper	All			X				
11	Back Window Reveal Side	All			X			Back Window Reveal Upper	
12	Back Window Reveal Lower	All			X			Back Window Reveal Side	
13	Roof Panel Cover Front Finishing	All (With Fabric Roof Cover)	X		X			Roof Panel Cover Front Finishing Corner Escutcheon	

METHODS OF MOLDING RETENTION
OLDSMOBILE "E" BODIES - 39000 SERIES
FIGURES 17-82 AND 17-83

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Roof Panel Cover Front Finishing Corner Escutcheon	All (With Fabric Roof Cover)						Roof Panel Cover Side Finishing	
15	Roof Panel Cover Side Finishing	All (With Fabric Roof Cover)	X		X				
16	Rear Compartment Lid Front	All (With Fabric Roof Cover)			X		View B		
17	Gas Tank Filler Door Emblem	All					X		
18	Rear End Outer Panel Emblem and/or Name Plate	All				View I			




Fig. 17-82—Oldsmobile 39487-39687 Styles




Fig. 17-83—Oldsmobile 39487-39687 Styles

METHODS OF MOLDING RETENTION
BUICK "A" BODIES - 43000 AND 44000 SERIES
FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All	X (67 Only)		X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	Cowl Air Intake Grille (43300 Only)
4	Windshield Pillar Drip Scalp	All (Except 67)		View K				Roof Drip Molding Front Scalp Escutcheon	
5	Roof Drip Molding Front Scalp Escutcheon	All (Except 67)		View K				Windshield Pillar Drip Scalp and Roof Drip Scalp	
6	Roof Drip Molding Front Scalp	39 Style		View K				Roof Drip Molding Front Scalp Escutcheon	
7	Roof Drip Molding Rear Scalp	39 Style		View K				Roof Drip Molding Front Scalp	
8	Roof Drip Molding Scalp	All (Except 39-67)		View K				Roof Drip Molding Front Scalp Escutcheon	
9	Front Door Window Frame Front Scalp	27-35-55 65-69		View J					
10	Front Door Window Frame Upper Scalp	27-35-55 65-69		View J				Front Door Window Frame Front Scalp	
11	Front Door Window Frame Rear Scalp	27-35-55 65-69		View J				Front Door Window Frame Upper Scalp	
12	Center Pillar Scalp	35-55 65-69	X						
13	Rear Door Window Frame Front Scalp	35-55 65-69		View J				Rear Door Window Frame Upper Scalp	
14	Rear Door Window Frame Upper Scalp	35-55 65-69		View J					

METHODS OF MOLDING RETENTION

BUICK "A" BODIES - 43000 AND 44000 SERIES
FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
15	Rear Quarter Window Reveal Front	27 Style			X			Rear Quarter Window Reveal Upper	
16	Rear Quarter Window Reveal Upper	27 Style	X						Quarter Window Glass Run Channel
17	Front Door Belt Reveal	All (Optional)	X						Front Door Window Lower Stop
18	Rear Door Belt Reveal	35-39-55 65-69 (Optional)	X						Rear Door Window Lower Stop
19	Rear Quarter Window Belt Reveal	27-37-67 (Optional)	X						Quarter Window Lower Stop
20	Rear Quarter Belt Reveal Front Corner Escutcheon	27-37 (Optional)				View F	X		Rear Quarter Trim
21	Rear Door Corner Finishing	39-69 (Optional)					X		
22	Rear Quarter Belt Reveal	27-37 39-69 (Optional)			X			Rear Quarter Belt Reveal Rear Corner Escutcheon	
23	Rear Quarter Belt Reveal Rear Corner Escutcheon	27-37 39-69 (Optional)			X		X		
24	Roof Panel Cover Rear Finishing Molding	27-37 39-69 (Optional)			X				
25	Rear Quarter Window Reveal Front Upper Corner Escutcheon	35			X			Loosen Rear Quarter Window Reveal Upper & Lower at Corner	
26	Rear Quarter Window Reveal Upper	35			X			Rear Quarter Window Reveal Front Upper Corner Escutcheon	

METHODS OF MOLDING RETENTION
BUICK "A" BODIES - 43000 AND 44000 SERIES
FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap-On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
27	Rear Quarter Window Reveal Lower	35			X			Rear Quarter Win- dow Reveal Front Upper Corner Escutcheon	
28	Front Skylight Front Reveal	55-65			X			Front Skylight Rear Reveal	
29	Front Skylight Rear Reveal	55-65			X				
30	Side Skylight Upper Reveal	55-65			X			Loosen Front Upper Corner of Quarter Window Skylight Front Reveal	
31	Quarter Window Skylight Front Reveal	55-65			X			Quarter Window Skylight Rear Reveal	
32	Quarter Window Skylight Lower Reveal	55-65			X			Quarter Window Skylight Front Reveal	
33	Quarter Window Skylight Rear Reveal	55-65			X			Side Skylight Upper Reveal	
34	Side Skylight- Quarter Window Division Reveal	55-65				View L		Quarter Window Skylight Rear Reveal	
35	Bodylock Pillar Belt Reveal	35-55-65 (Optional)			View H		X		Bodylock Pillar Trim
36	Back Body Pillar Belt Reveal	35-55-65 (Optional)	X		View F				
37	Rear Quarter Pinch- weld Finishing	67	X		X				Lower Top Halfway
38	Front Door Outer Panel	43300-43435 43500 44400 44800	X		X				
39	Front Door Outer Panel Peak	43327	X		X				

METHODS OF MOLDING RETENTION
 BUICK "A" BODIES - 43000 AND 44000 SERIES
 FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap- On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
40	Rear Door Outer Panel	43369-43435 43569 44439-55-65- 69-44855-65	X		X				
41	Rear Quarter Outer Upper Panel	43300 (43435 Rt. Side Only)			X		X		Rear Quarter Trim (Except 43435) Tail Lamp Assembly (43435)
42	Rear Quarter Outer Panel Peak	43327			X		X		Rear Quarter Upper Trim
43	Rear Quarter Outer Panel Peak Rear Corner Escutcheon	43327- (Without Fabric Roof Cover)	X					Rear Quarter Outer Panel Peak Roof Drip Molding Scalp	
44	Rear Quarter Outer Upper Panel-Front	43435 (Left Side)			X				
45	Rear Quarter Outer Gas Tank Filler	43435 (Left Side)					View B		
46	Rear Quarter Outer Upper Panel-Rear	43435 (Left Side)			X		X		Tail Lamp Assembly
47	Front of Rear Wheel Opening	43500 44400 44800	X (4 Door Styles Only)		X (2 Door Styles Only)		X (2 Door Styles Only)		Rear Quarter Trim (2 Door Styles)
48	Rear Wheel Opening	43327-69 43400 43500 44600 444-44855-65	X						
49	Rear Wheel Opening Cover	44400 (Less Station Wagon)					X		
50	Rear of Rear Wheel Opening	43500 44400 44800			X		X		
51	Rear of Rear Wheel Opening Lower	44800			X		X		

METHODS OF MOLDING RETENTION
BUICK "A" BODIES - 43000 AND 44000 SERIES
FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap- On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
52	Rear of Rear Wheel Opening-Vertical	44800	X			View F		Rear of Rear Wheel Opening	
53	Rear Quarter Outer Panel Emblem and/ or Name Plate	43300 43500 44400 44800				View I (Sport wagon Only)	X		
54	Rear Compartment Outer Panel Wind- split	All (Except 43300 and 35-55-65)			X		X		
55	Front of Rear Compartment Outer Panel Windsplit	All (Except 43300 and 35-55-65)					X		
56	Rear Compartment Lid Outer Panel Emblem and/or Name Plate	All (Except 35-55-65)				View I (Skylark and Custom Name Plates Only)	X		
57	Back Window Reveal Upper and Side	27-37			X			Back Window Reveal Side	
58	Back Window Reveal Upper	39-69			X				
59	Back Window Reveal Side and Lower	39-69			X				
60	Back Window Reveal Lower	27-37			X			Back Window Reveal Side	
61	Back Body Opening Upper Reveal	35-55-65	X					Back Body Open- ing Side Reveal	Tail Gate Window Glass Run Channel
62	Back Body Opening Side Reveal	35-55-65	X						

METHODS OF MOLDING RETENTION

BUICK "A" BODIES - 43000 AND 44000 SERIES

FIGURES 17-84 THROUGH 17-91

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
63	Tailgate Outer Panel Nameplate "Buick"	35-55-65			View H		X		Tailgate Trim
64	Tailgate Outer Panel Nameplate "Sport-wagon"	55-65					X		Tailgate Trim
65	Tailgate Outer Panel Upper	35-55-65			X			Tailgate Outer Panel Side	
66	Tailgate Outer Panel Lower	35-55-65			X			Tailgate Outer Panel Side	
67	Tailgate Outer Panel Side	35-55-65					X		
68	Roof Panel Emblem	43537-69 44437-39-69					X		Rear Quarter Upper Trim
69	Tailgate Outer Panel Belt Reveal	35-55-65	X		X				
70	Emblem-Rear Quarter Outer Panel	444-44855-65			View H				




Fig. 17-84—Buick "A-27" Styles




Fig. 17-85—Buick "A-37" Styles ("67" Styles Similar)




Fig. 17-86—Buick "A-39" Styles




Fig. 17-87—Buick "A-69" Styles




Fig. 17-88—Buick "A-35" Styles




Fig. 17-89—Buick "A-55-65" Styles




Fig. 17-90—Buick 43300-43400-43500-44400-44600 Styles (Less 35-55-65)




Fig. 17-91—Buick "A-35-55-65" Styles

METHODS OF MOLDING RETENTION

BUICK "B-C" BODIES - 45000, 46000 AND 48000 SERIES
FIGURES 17-92 THROUGH 17-100

Key	Molding Name	Series or Styles	Screws	Spring (Self-Re-tained)	Snap-On Clips or Re-tainers On Panel	Snap-On Clips On Molding	Studs With Attach-ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower	
3	Windshield Reveal Lower	All	X						
4	Windshield Pillar Drip,	All (Except 67)	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Windshield Pillar Finishing	67	X					Windshield Reveal Side	Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Roof Drip Molding Scalp	B-39-87 46469 C-69		View K				Windshield Pillar Drip	
7	Roof Drip Molding Front Scalp	C-39-57		View K				Windshield Pillar Drip	
8	Roof Drip Molding Rear Scalp	C-39, 57	X	View K				Roof Drip Molding Front Scalp	Weatherstrip Retainer
9	Windshield Header	67	X					Windshield Pillar Finishing, Windshield Reveal Upper	Sunshade Support, Rear View Mirror Support
10	Front Door Window Frame Front Scalp	69 (Except 48000 Series)		View J					
11	Front Door Window Frame Upper Scalp	69 (Except 48000 Series)		View J				Front Door Window Frame Front Scalp	
12	Front Door Window Frame Rear Scalp	69 (Except 48000 Series)		View J				Front Door Window Frame Upper Scalp	
13	Front Door Window Belt Reveal (At Vent)	All	X						Front Door Vent Assembly

METHODS OF MOLDING RETENTION

BUICK "B-C" BODIES - 45000, 46000 AND 48000 SERIES
FIGURES 17-92 THROUGH 17-100

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Front Door Window Belt Reveal	All	X					Front Door Window Belt Reveal (At Vent)	Rubber Bumper on Door Window Lower Stop
15	Center Pillar Scalp	48269 48469	X						Side Roof Rail Weatherstrip Front and Rear at Center Pillar
16	Rear Door Window Frame Front Scalp	69 (Except 48000 Series)		View J				Front Door Window Frame Upper Scalp	
17	Rear Door Window Frame Upper Scalp	69 (Except 48000 Series)		View J					
18	Rear Door Window Belt Reveal	39, 69	X						Rubber Bumper on Rear Door Window Lower Stop
19	Rear Quarter Window Belt Reveal	57, 67, 87	X						Rear Quarter Window Lower Stop
20	Rear Quarter Window Belt Reveal Escutcheon	87		X				Rear Quarter Window Belt Reveal, Roof Drip Molding Scalp	
21	Rear Quarter Belt Reveal	All (Except 67)			X	X	X		Rear Quarter Upper Trim Panel
22	Rear Quarter Belt Reveal Corner Escutcheon	48269 48469					X	Rear Quarter Belt Reveal, Rear End Belt Reveal	
23	Rear Quarter Belt Pinchweld Finishing	67	X		X				
24	Rear Door Outer Panel Crown	48239-69 48439-69	X				X		Rear Door Trim Pad
25	Rear Quarter Outer Panel Crown	48000	X		X		X	Rear of Rear Quarter Outer Panel Crown	Rear Compartment Side Trim, Quarter Trim

METHODS OF MOLDING RETENTION

BUICK "B-C" BODIES - 45000, 46000 AND 48000 SERIES
FIGURES 17-92 THROUGH 17-100

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
26	Rear of Rear Quarter Outer Panel Crown	48000	X		X				Loosen Rear Bumper
27	Rear Wheel Opening Front Corner	45400	X						
28	Rear Wheel Opening	45400	X						
29	Rear Wheel Opening Rear Corner	45400	X						
30	Rear Quarter Outer Panel Nameplate	45200-45400 46400-46600 48000				View I	X		
31	Roof Panel Emblem	48239-57 and 48457 (With Fabric Roof Cover)					X		Headlining at Rear Quarter
32	Roof Panel Nameplate	48439					X		Headlining at Rear Quarter Area
33	Rear Wheel Opening Cover	46000 48000	X X				X		
34	Rear of Rear Wheel Opening	45400 46400 46600 48000	X X				X		
35	Back Window Reveal Upper	All (Except 67)			X			Back Window Reveal Side	
36	Back Window Reveal Side	All (Except 67 and B-69)			X			Back Window Reveal Lower	
37	Back Window Reveal Lower	All (Except 67)			X				
38	Rear of Rear Quarter Panel Outer	48000	X						Taillamp Assembly
39	Rear of Rear Quarter Panel-Inner	48000	X						Taillamp Assembly

METHODS OF MOLDING RETENTION

BUICK "B-C" BODIES - 45000, 46000 AND 48000 SERIES
 FIGURES 17-92 THROUGH 17-100

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
40	Rear End Outer Panel	48000					X	Rear of Rear Quarter Panel Inner	
41	Rear Compartment Lid Outer Panel Nameplate	All					X		
42	Rear Compartment Lid Outer Panel Emblem	All (Except 48000)					X		




Fig. 17-92—Buick "B-87" Styles ("67" Style Similar)




Fig. 17-93—Buick "B-39" Styles




Fig. 17-94—Buick "B-69" Styles




Fig. 17-95—Buick 45200-45400-46400-46600 Styles




Fig. 17-96—Buick 48257-48457 Styles




Fig. 17-97—Buick 48467 Style




Fig. 17-98—Buick 48239-48439 Styles




Fig. 17-99—Buick 48269-48469 Styles




Fig. 17-100—Buick "C" Body Styles

METHODS OF MOLDING RETENTION
BUICK "E" BODIES - 49000 SERIES
FIGURES 17-101 AND 17-102

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X				
2	Windshield Reveal Side	All			X			Windshield Reveal Upper	
* 3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip Molding Scalp	All		View K					Windshield Pillar Weatherstrip and Weatherstrip Retainer
5	Roof Drip Molding Scalp	All	X	View K				Windshield Pillar Drip Molding Scalp	
6	Front Door Window Belt Reveal	All	X			X			Rubber Bumper on Front Door Window Lower Stop
7	Rear Quarter Window Belt Reveal	All	X			X			Rear Quarter Window
8	Rear Quarter Belt Reveal	All (Optional)			X		X	Rear Quarter Belt Reveal Corner Escutcheon	Rear Compartment Side Trim Panel
9	Rear Quarter Belt Reveal Corner Escutcheon	All (Optional)			X		X		Rear Compartment Side Trim Panel
10	Rear Compartment Front Panel	All (Optional)					X		Rear Compartment Front Panel Grille
11	Front Door Outer Panel Upper	All	X		X				
12	Front of Rear Wheel Opening Upper	All					X		Quarter Trim Pad
13	Rear Wheel Opening	All	X					Rear of Rear Wheel Opening (Upper)	

*Check for hex-head Screw under fender at outer end of Reveal Molding.

METHODS OF MOLDING RETENTION

BUICK "E" BODIES - 49000 SERIES
FIGURES 17-101 AND 17-102

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Rear of Rear Wheel Opening-Upper	All					X		
15	Front Door Outer Panel-Lower	All (Optional)	X					Front Door Outer Panel Upper	
16	Front of Rear Wheel Opening Lower	All (Optional)	X					Front of Rear Wheel Opening Upper	
17	Rear of Rear Wheel Opening Lower	All (Optional)	X					Rear of Rear Wheel Opening Upper	
18	Back Window Reveal Upper	All			X				
19	Back Window Reveal Side	All			X			Back Window Reveal Upper	
20	Back Window Reveal Lower	All			X			Back Window Reveal Side	




Fig. 17-101—Buick 49487 Style




Fig. 17-102—Buick 49487 Style

METHODS OF MOLDING RETENTION
 CADILLAC "C" BODIES - 68000 SERIES
 FIGURES 17-103 THROUGH 17-109

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower Ends	
3	Windshield Reveal Lower-Center	All	X					Windshield Reveal Lower Ends	
4	Windshield Reveal Lower-Ends	All	X					Windshield Reveal Lower Center	
5	Windshield Pillar Drip	All (Except 67)	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Windshield Pillar Finishing	67	X					Windshield Side Reveal	Windshield Pillar Weatherstrip and Weatherstrip Retainer
7	Windshield Header	67	X					Windshield Pillar Finishing, Windshield Reveal Upper	
8	Roof Drip Molding Scalp	68369		View K				Windshield Pillar Drip	
9	Roof Drip Molding Front Scalp	68069-68169 68247-49 68347-49		View K				Windshield Pillar Drip	
10	Roof Drip Molding Rear Scalp	68069-68169 68247-49 68347-49		View K				Roof Drip Molding Front Scalp	Side Roof Rail Rear Weatherstrip and Weatherstrip Retainer
11	Roof Panel Cover Front Finishing	68169	X		X			Roof Panel Cover Front Finishing Escutcheon	Front Section of Headlining
12	Roof Panel Cover Front Finishing Escutcheon	68169					X	Roof Panel Cover Side Front Finishing	Front Section of Headlining

METHODS OF MOLDING RETENTION
CADILLAC "C" BODIES - 68000 SERIES
FIGURES 17-103 THROUGH 17-109

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
13	Roof Panel Cover Side Front Finishing	68169			X		X	Roof Panel Cover Front Finishing Escutcheon Roof Panel Cover Side Rear Finishing	Headlining at Side Area
14	Roof Panel Cover Side Rear Finishing	68169					X	Rear End Belt Cover Finishing	Headlining at Rear Quarter Area
15	Roof Panel Emblem and/or Nameplate	68169					X		Headlining at Rear Quarter Area
16	Rear End Belt Cover Finishing	68169					X		Headlining at Rear Quarter Area
17	Center Pillar Scalp	68369	X						Weatherstrip and Weatherstrip Retainer at Center Pillar
18	Rear Quarter Belt Reveal	68347-49-69 68247-49 (With Fabric Roof Cover)			X	X	X		Headlining at Rear Quarter Area, Rear Compartment Side Trim
19	Rear Quarter Belt Reveal Corner Escutcheon	68369					X	Rear Quarter Belt Reveal	
20	Rear End Belt Reveal	68369					X	Rear Quarter Belt Reveal Corner Escutcheon	
21	Rear Quarter Pinch-weld Finishing	67	X		X			Rear Quarter Window Belt Reveal	
22	Front Door Window Belt Reveal (At Vent)	All	X						Front Door Vent Assembly
23	Front Door Window Belt Reveal	All	X					Front Door Window Belt Reveal (At Vent)	Rubber Bumper on Front Door Window Lower Stop

METHODS OF MOLDING RETENTION
 CADILLAC "C" BODIES - 68000 SERIES
 FIGURES 17-103 THROUGH 17-109

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
24	Rear Door Window Belt Reveal	49, 69	X						Rubber Bumper on Rear Door Window Lower Stop
25	Rear Quarter Window Belt Reveal	47, 67	X						Rear Quarter Window Lower Stop
26	Front Door Outer Panel	68200 68300	X		X				
27	Rear Door Outer Panel	68249 68349-69	X		X				
28	Rear Quarter Outer Panel	68247 68347-67				X	X		Rear Quarter Trim Panel Rear Compartment Side Trim.
		68249 68349-69				X	X		Rear Compartment Side Trim
29	Rear of Rear Wheel Opening	68069 68169	X		X				
30	Rear of Rear Quarter Outer Panel - Outer at Taillamp	68069 68169	X					Rear of Rear Wheel Opening	Rear Bumper Assembly
31	Rear of Rear Quarter Outer Panel - Inner at Taillamp	68069 68169	X					Rear of Rear Quarter Outer Panel - Outer at Taillamp	Rear Bumper Assembly
32	Rear of Rear Quarter Outer Panel at Compartment Lid	All	X				X	Rear of Rear Quarter Outer Panel - Inner at Taillamp (68069, 68169 Styles Only)	
33	Rear Compartment Lid Outer Panel	All	X						
34	Back Window Reveal Upper	All			X			Back Window Reveal Side	
35	Back Window Reveal Side	68200, 68300 68069, 68169			X X			Back Window Reveal Lower Back Window Reveal Lower Corner Escutcheon	

METHODS OF MOLDING RETENTION
 CADILLAC "C" BODIES - 68000 SERIES
 FIGURES 17-103 THROUGH 17-109

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
36	Back Window Reveal Lower	All			X			Back Window Reveal Lower Corner Escutcheon (68069, 68169 Styles)	
37	Back Window Reveal Lower Corner Escutcheon	68069 68169			X				
38	Rear Compartment Lid Outer Panel Emblem	All					X		




Fig. 17-103—Cadillac 68069-68169 Styles




Fig. 17-104—Cadillac 68247-68347 Styles




Fig. 17-105—Cadillac 68367 Styles




Fig. 17-106—Cadillac 68249-68349 Styles




Fig. 17-107—Cadillac 68369 Styles




Fig. 17-108—Cadillac 68069-68169 Styles




Fig. 17-109—Cadillac 68200-68300 Styles

METHODS OF MOLDING RETENTION
CADILLAC "D" BODIES - 69700 SERIES
FIGURES 17-110 AND 17-111

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower Ends	
3	Windshield Reveal Lower Center	All	X					Windshield Reveal Lower Ends	
4	Windshield Reveal Lower Ends	All	X					Windshield Reveal Lower Center	
5	Front Door Window Frame Front Reveal	All	X						
6	Front Door Window Frame Upper Reveal	All	X					Front Door Window Frame Front Reveal	
7	Front Door Window Frame Rear Reveal	All		View J				Front Door Window Frame Upper Reveal	
8	Rear Door Window Frame Front Reveal	All		View J				Rear Door Window Frame Upper Reveal	
9	Rear Door Window Frame Upper Reveal	All	X						
10	Rear Door Window Frame Rear Reveal	All		View J				Rear Door Window Frame Upper Reveal	
11	Rear Quarter Window Reveal Vertical	All	X					Rear Quarter Window Reveal Upper Front. Rear Quarter Window Reveal Upper Rear and Lower	Weatherstrip and Retainer
12	Rear Quarter Window Reveal Upper Front	All	X						Headlining at Side Area
13	Rear Quarter Window Reveal Upper Rear and Lower	All	X					Rear Quarter Window Reveal Upper Front	Rear Quarter Trim Pad

METHODS OF MOLDING RETENTION
CADILLAC "D" BODIES - 69700 SERIES
FIGURES 17-110 AND 17-111

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
14	Roof Panel Emblem	All (With Fabric Roof Cover)					X		Headlining at Quarter Area
15	Front Door Window Belt Reveal (at Vent)	All	X						Front Door Vent Assembly
16	Front Door Window Belt Reveal	All	X					Front Door Window Belt Reveal (at Vent)	Front Door Trim Pad
17	Rear Door Window Belt Reveal	All	X						Rear Door Trim Pad
18	Front Door Outer Panel	All	X		X				
19	Rear Door Outer Panel	All	X		X				
20	Rear Quarter Outer Panel	All				X	X		Rear Quarter Trim Pad. Rear Compartment Side Trim
21	Back Window Reveal Upper	All			X			Back Window Reveal Side	
22	Back Window Reveal Side	All			X				
23	Back Window Reveal Lower Corner Escutcheon	All						Back Window Reveal Side, Back Window Reveal Lower	
24	Back Window Lower Reveal	All			X				
25	Rear of Rear Quarter Panel at Compartment Lid	All	X				X		Rear Bumper Assembly
26	Rear Compartment Lid Outer Panel	X							
27	Rear Compartment Lid Outer Panel Emblem	All					X		
28	Rear of Rear Quarter Outer Panel at Taillamp Outer	All	X						Rear Bumper Assembly
29	Rear of Rear Quarter Outer Panel at Taillamp-Inner	All	X					Rear of Rear Quarter Outer Panel-Outer at Taillamp	Rear Bumper Assembly




Fig. 17-110—Cadillac 69723-33 Styles




Fig. 17-111—Cadillac 69723-33 Styles

METHODS OF MOLDING RETENTION
 CADILLAC "E" BODIES - 69300 SERIES
 FIGURES 17-112 AND 17-113

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X			Windshield Reveal Lower Ends	
3	Windshield Reveal Lower Center	All	X					Windshield Reveal Lower Ends	
4	Windshield Reveal Lower-Ends	All	X					Windshield Reveal Lower Center	
5	Windshield Pillar Drip Scalp	All		View K					
6	Roof Drip Molding Front Scalp	All		View K				Windshield Pillar Drip Scalp	
7	Roof Drip Molding Rear Scalp	All	X	X				Roof Drip Molding Front Scalp	Rear Garnish Molding Quarter Trim Disengage Quarter Window Glass Rear Stop
8	Roof Panel Front Cover Finishing	All (With Fabric Roof Cover)	X	X				Windshield Pillar Drip	Windshield Reveal Upper
9	Front Door Window Belt Reveal	All	X			X			Rubber Bumper on Front Door Window Lower Stop
10	Rear Quarter Window Belt Reveal	All	X			X		Roof Drip Molding Rear Scalp	
11	Rear Quarter Belt Reveal	All (With Fabric Roof Cover)			X		X		Headlining at Rear Quarter Area
12	Front Door Outer Panel Lower	All	X		X				
13	Rear Wheel Opening	All	X						
14	Rear of Rear Wheel Opening	All	X		X				
15	Back Window Reveal Upper	All			X			Back Window Reveal Upper Corner Escutcheon	

METHODS OF MOLDING RETENTION
 CADILLAC "E" BODIES - 69300 SERIES
 FIGURES 17-112 AND 17-113

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
16	Back Window Reveal Side	All			X			Back Window Reveal Upper Corner Escutcheon	
17	Back Window Reveal Upper Corner Escutcheon	All			X				
18	Back Window Reveal Lower	All			X			Back Window Reveal Sides	
19	Rear of Rear Quarrer Extension	All	X						
20	Rear Compartment Lid Outer Panel	All	X						
21	Gas Tank Filler Door	All	X						
22	Rear Compartment Lid Outer Panel Emblem	All					X		
23	Rear Compartment Lid Outer Panel Name Plate	All					X		




Fig. 17-112—Cadillac 69347 Styles




Fig. 17-113—Cadillac 69347 Styles

METHODS OF MOLDING RETENTION
ACADIAN "X" BODIES - 71000 SERIES
FIGURES 17-114 AND 17-115

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap-On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper Sides	All			X			Windshield Reveal Lower	
2	Windshield Reveal Lower	All	X						Cowl Air Intake Grille
3	Windshield Pillar Drip	All (Optional)	X						
4	Roof Drip Molding Scalp	All (Optional)		View J				Windshield Pillar Drip	
5	Rear Quarter Belt Reveal	All (Optional)			X				
6	Rear Quarter Belt Reveal Corner Escutcheon	All (Optional)	X				X		Rear Quarter Belt Reveal
7	Front Door Window Frame Front Scalp	27-69 Styles (Optional)		View J					
8	Front Door Window Frame Rear Scalp	27-69 Styles (Optional)		View J				Front Door Window Frame Front Scalp	
9	Rear Quarter Window Frame Front Scalp	27 Style (Optional)		View J					
10	Rear Quarter Window Frame Upper Scalp	27 Style (Optional)		View J				Rear Quarter Window Frame Front Scalp	
11	Center Pillar Scalp	69 Style (Optional)	X						
12	Rear Door Window Frame Front Scalp	69 Style (Optional)		View J				Rear Door Window Frame Upper Scalp	
13	Rear Door Window Frame Upper Scalp	69 Style (Optional)		View J					
14	Back Window Reveal Upper and Sides	All			X			Back Window Reveal Lower	

METHODS OF MOLDING RETENTION
ACADIAN "X" BODIES - 71000 SERIES
FIGURES 17-114 AND 17-115

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
15	Back Window Reveal Lower	All			X				
16	Front Door Outer Panel	All Styles (Optional)	X		X				
17	Rear Door Outer Panel	69 Style (Optional)	X		X				
18	Rear Quarter Outer Panel	All (Optional)			X		X		
19	Rear Quarter Outer Panel Name Plate	All					X		
20	Rear End Outer Panel Upper	All (Optional)			X				
21	Rear End Outer Panel Lower	All (Optional)			X				
22	Rear End Outer Panel Name Plate	All					X		




Fig. 17-114—Acadian 713-71427 Styles (Canadian)




Fig. 17-115—Acadian 713-71469 Styles (Canadian)

METHODS OF MOLDING RETENTION
BEAUMONT "A" BODIES - 73000 SERIES (CANADIAN)
FIGURES 17-116 THROUGH 17-118

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X				
2	Windshield Reveal Side	All			X			Windshield Reveal Upper	
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip	27, 35, 69	X						
5	Windshield Pillar Finishing	67	X						Windshield Pillar Weatherstrip and Weatherstrip Retainer
	Windshield Header Center	67	X					Windshield Header Side	Rear View Mirror Support
	Windshield Header Side	67	X					Windshield Reveal Upper and Sides	Sunshade Support Windshield Pillar Weatherstrip and Weatherstrip Retainer
6	Windshield Pillar Drip Molding Scalp	37, 39 735-73635,69		X					
7	Roof Drip Molding Front Scalp	39		X				Roof Drip Molding Scalp Escutcheon	
8	Roof Drip Molding Scalp Escutcheon	37, 35, 39, 69		X					
9	Roof Drip Molding Rear Scalp	39		X				Roof Drip Molding Scalp Escutcheon	
	Roof Drip Molding Scalp	37, 35, 69		X					
	Front Door Window Frame Front Scalp (Optional)	27, 35, 69		X					
	Front Door Window Frame Upper Scalp (Optional)	27, 35, 69		X				Front Door Window Frame Front Scalp	

METHODS OF MOLDING RETENTION
BEAUMONT "A" BODIES - 73000 SERIES (CANADIAN)
FIGURES 17-116 THROUGH 17-118

Key	Molding Name	Series or Styles	Screws	Spring (Self- Re- tained)	Snap-On Clips or Re- tainers On Panel	Snap- On Clips On Molding	Studs With Attach- ing Nuts	Engages With Other Moldings	Remove Hardware Or Trim
	Front Door Window Frame Rear Scalp (Optional)	27, 35, 69		X				Front Door Window Frame Upper Scalp	
	Center Pillar Scalp (Optional)	35, 69	X						
	Rear Door Window Frame Front Scalp (Optional)	35, 69		X				Rear Door Window Frame Upper Scalp	
	Rear Door Window Frame Upper Scalp (Optional)	35, 69		X				Rear Door Window Frame Rear Scalp	
	Rear Quarter Window Rear Reveal (Optional)	27, 37	X				X		
	Rear Quarter Belt Reveal (Optional)	27, 37, 39, 69			X	X	X		
	Rear End Belt Side Reveal (Optional)	27, 37					X		
	Rear End Belt Reveal	27, 37			X		X		
	Center Reveal (Optional)	27, 37, 39, 69			X		X		
10	Rear Quarter Pinchweld Finishing	67	X		X				Rear Quarter and Rear End Trim Sticks
11	Rear Quarter Window Front Reveal	27				X			
12	Rear Quarter Window Upper Reveal	27	X						
	Rear Quarter Win- dow Reveal Upper	35			X			Rear Quarter Win- dow Reveal Lower	
	Rear Quarter Win- dow Reveal Lower	35			X			Rear Quarter Win- dow Reveal Upper	
13	Front Door Outer Panel - Lower	735-73600 73800			X				
14	Front Door Outer Panel - Upper	73800			X				

METHODS OF MOLDING RETENTION
 BEAUMONT "A" BODIES - 73000 SERIES (CANADIAN)
 FIGURES 17-116 THROUGH 17-118

Key	Molding Name	Series or Styles	Screws	Spring (Self-Contained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
15	Rear Door Outer Panel - Lower	735-73600			X				
	Rear Door Outer Panel Belt Reveal (Optional)	39, 69					X		
16	Front of Rear Wheel Opening - Lower	735-73635,69 735-73637,67 73800			X X		X		
17	Front of Rear Wheel Opening - Upper	73800			X				
18	Rear of Rear Wheel Opening - Lower	735-73600 73800			X				
19	Rear of Rear Wheel Opening - Upper	73800			X				
20	Rear Quarter Outer Panel Name Plate	All (Except 73800)				X 35 Style L.H. Only	X		
21	Rear End Panel Molding and/or Name Plate	All (Except 35)					X		
22	Back Window Reveal Upper and Side	27, 37			X			Back Window Reveal Lower	
23	Back Window Reveal Lower and Side	39, 69			X				
24	Back Window Reveal Upper	39, 69			X			Back Window Reveal Lower and Side	
25	Back Window Reveal Lower	27, 37			X				
	Tailgate Window Opening Upper Reveal	35			X			Tailgate Window Opening Side Reveal	
	Tailgate Window Opening Side Reveal	35			X				

METHODS OF MOLDING RETENTION
 BEAUMONT "A" BODIES - 73000 SERIES (CANADIAN)
 FIGURES 17-116 THROUGH 17-118

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
26	Tailgate Outer Panel Molding and/or Name Plate	35					X		Tailgate Trim Assembly
	Tailgate Outer Panel Upper	735-73635	X		X				
	Tailgate Outer Panel Lower	735-73635	X		X				
	Rear of Rear Quarter Outer Panel Upper and Lower	735-73635	X			X			
	Rear Compartment Lid Emblem	73800					X		




Fig. 17-116—Beaumont 733-73427 Styles (Canadian)




Fig. 17-117—Beaumont 73867 Styles (Canadian)




Fig. 17-118—Beaumont 735-73639 Styles (Canadian)

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 75-76000 SERIES (CANADIAN)
FIGURES 17-119 THROUGH 17-122

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
1	Windshield Reveal Upper	All			X			Windshield Reveal Side	
2	Windshield Reveal Side	All			X				
3	Windshield Reveal Lower	All	X					Windshield Reveal Side	
4	Windshield Pillar Drip	All (Except 67)	X						Windshield Pillar Weather-Strip and Weatherstrip Retainer (Hardtop Styles Only)
	Windshield Pillar Finishing	67	X						Windshield Pillar Weather-Strip and Weatherstrip Retainer
	Windshield Header	67	X					Windshield Pillar Finishing, Windshield Upper Reveal	Rear View Mirror Support, Sunshade Support
5	Roof Drip Scalp	11, 39, 69, 87		X				Windshield Pillar Drip	
	Roof Drip Molding Scalp Front	35, 45		X				Windshield Pillar Drip	
	Roof Drip Molding Scalp Rear	35, 45		X				Roof Drip Molding Scalp Front	
6	Front Door Window Frame Scalp Front	35, 45, 69		X					
7	Front Door Window Frame Scalp Upper	35, 45, 69		X				Front Door Window Frame Scalp Front	
8	Front Door Window Frame Scalp Rear	35, 45, 69		X				Front Door Window Frame Scalp Upper	

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 75-76000 SERIES (CANADIAN)
FIGURES 17-119 THROUGH 17-122

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
9	Front Door Window Belt Reveal (at Vent)	35, 45, 39 57, 67, 69 87 (Except 76687)	X						Front Door Vent Frame
10	Rear Door Window Frame Scalp Front	35, 45, 69		X				Rear Door Window Frame Scalp Upper	
11	Rear Door Window Frame Scalp Upper	35, 45, 69		X				Rear Door Window Frame Scalp Rear (35, 45 Styles Only)	
12	Rear Door Window Frame Scalp Rear	35, 45		X					
13	Rear Quarter Window Reveal Upper	35, 45			X			Rear Quarter Window Reveal Lower Escutcheon	
14	Rear Quarter Window Reveal Lower	35, 45			X			Rear Quarter Window Reveal Upper	
15	Rear Quarter Window Reveal Lower Escutcheon	35, 45			X				
	Rear Quarter Belt Reveal (Optional)	11, 39, 69, 87			X		X		
	Rear Quarter Belt Pinch Weld Finishing	67	X			X			
16	Front Door Outer Panel	755-75600 76000	X X		X X		X		
17	Rear Door Outer Panel	755-75600 76000	X X		X X		X		
18	Rear Quarter Outer Panel	755-75600 763-76400 (Except 35, 45)	X		X X		X		
		755-75600 -35, 45 Rt.			X		X		Rear Quarter Trim
		755-75600 -35, 45 Lt. 763-76400 (35, 45)	X		X				Rear Quarter Trim

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 75-76000 SERIES (CANADIAN)
FIGURES 17-119 THROUGH 17-122

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
19	Front of Rear Wheel Opening	76687 & 76639	X		X				
20	Rear of Rear Wheel Opening	763-76400, 76600, 76800	X		X				
21	Rear Quarter Outer Panel Name Plate or Emblem	All except 763-76400 (Except 35-45)					X		
		35-45 Rt.					X		
		35-45 Lt.				X			Rear Quarter Trim
	Front Door Outer Panel Transfer Finishing Upper	76635						Front Door Outer Panel Transfer Finishing Upper Insert	
	Front Door Outer Panel Transfer Finishing Lower	76635	X						
	Front Door Outer Panel Transfer Finishing Upper Insert	76635	X		X				
	Rear Door Outer Panel Transfer Finishing Upper	76635						Rear Door Outer Panel Transfer Finishing Upper Insert	
	Rear Door Outer Panel Transfer Finishing Lower	76635	X						
	Rear Door Outer Panel Transfer Finishing Upper Insert	76635	X		X				
	Rear Quarter Outer Panel Transfer Finishing Upper	76635	X					Rear Quarter Outer Panel Transfer Finishing Upper Insert	
	Rear Quarter Outer Panel Transfer Finishing Upper Insert	76635				X			

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 75-76000 SERIES (CANADIAN)
FIGURES 17-119 THROUGH 17-122

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
	Rear Quarter Outer Panel Transfer Finishing Rear Vertical	76635	X						
22	Back Window Reveal Upper and/or Side	All (Except 35-45)			X				
23	Back Window Reveal Lower	All (Exc.35-45,87)	X		X			Back Window Reveal Side	
24	Back Body Opening Reveal Upper	35, 45	X					Back Body Opening Reveal Side	Upper Glass Run Channel
25	Back Body Opening Reveal Side	35, 45	X						
26	Tailgate Window Reveal	764-76635	X			X			
27	Tailgate Outer Panel Lower	76435	X						
	Tail Gate Outer Panel Belt Finishing (Optional)	35, 45 (Except 76635)	X			X			
	Back Body Pillar Belt Finishing (Optional)	35, 45 (Except 76635)	X		X	X			
	Rear Compartment Lid Outer Panel Belt Reveal	87 (With Options C08 or D99)	X		X				
	Rear Compartment Lid Outer Panel Finishing	87 (With C08)					X		
	Tailgate Outer Panel Transfer Finishing	76635					X		Tailgate Trim Panel Assy.
28	Rear of Rear Qtr. Outer Panel Lower	76435	X						

METHODS OF MOLDING RETENTION
PONTIAC "B" BODIES - 75-76000 SERIES (CANADIAN)
FIGURES 17-119 THROUGH 17-122

Key	Molding Name	Series or Styles	Screws	Spring (Self-Retained)	Snap-On Clips or Retainers On Panel	Snap-On Clips On Molding	Studs With Attaching Nuts	Engages With Other Moldings	Remove Hardware Or Trim
29	Rear Compartment Lid Outer Panel Emblem	766-76800 (Except 35-45)					X		
30	Rear End Outer Panel	76000 (Except 35-45)					X		
31	Rear End Outer Panel Name Plate	75000 (Except 35,45)					X		
32	Tailgate Outer Panel Name Plate	35-45					X		Tailgate Trim Panel Assy.
	Rear Quarter Panel Upper Name Plate	76639, 87 (With Option C08)					X		Rear Quarter Upper Trim




Fig. 17-119—Pontiac 76687 Styles (Canadian)




Fig. 17-120—Pontiac 755-75611 Styles (Canadian)




Fig. 17-121—Pontiac 763-76469 Styles (Canadian)




Fig. 17-122—Pontiac 76435 Styles (Canadian)